



FACILITY COMPLIANCE INSPECTION REPORT

Division of Waste Management Solid Waste Section

UNIT TYPE:												
Lined MSWLF		LCID		YW		Transfer		Compost		SLAS	X	COUNTY: Pitt PERMIT NO.: SLAS-74-06 FILE TYPE: COMPLIANCE
Closed MSWLF		HHW		White goods		Incineration		T&P		FIRM		
CDFL		Tire T&P / Collection		Tire Monofill		Industrial Landfill		DEMO		SDTF		

Date of Site Inspection: 2/17/2012 **Date of Last Inspection:** 10/3/2011

FACILITY NAME AND ADDRESS:

*Curtis L. Matthews
Matthews Septic Tank Service
PO Box 85
Farmville, NC 27828*

GPS COORDINATES:

N: 35.5592

W: -77.5406

FACILITY CONTACT NAME AND PHONE NUMBER:

Name: *Curtis L. Matthews*
Telephone: *252-714-7890*
Email address:
Fax: *252-753-2506*

FACILITY CONTACT ADDRESS:

Same as above.

PARTICIPANTS: *Chester Cobb*

STATUS OF PERMIT: *Active*

EXPIRES: *7/16/2011*

PURPOSE OF SITE VISIT: *Routine*

STATUS OF PAST NOTED VIOLATIONS:

No violations noted on the previous inspection

OBSERVED VIOLATIONS:

NONE

The item(s) listed above were observed by Section staff and require action on behalf of the facility in order to come into or maintain compliance with the Statutes, Rules, and/or other regulatory requirements applicable to this facility. Be advised that pursuant to N.C.G.S. 130A-22, an administrative penalty of up to \$15,000 per day may be assessed for each violation of the Solid Waste Laws, Regulations, Conditions of a Permit, or Order under Article 9 of Chapter 130A of the N.C. General Statutes. Further, the facility and/or all responsible parties may be subject to enforcement actions including penalties, injunction from operation of a solid waste management facility or a solid waste collection service and any such further relief as may be necessary to achieve compliance with the North Carolina Solid Waste Management Act and Rules.

FACILITY COMPLIANCE INSPECTION REPORT
Division of Waste Management
Solid Waste Section

Page 2 of 2

ADDITIONAL COMMENTS

1. Signage present.
2. Path to the site was in good shape.
3. Markers were up.
4. No discharges noticed outside of the permitted fields' boundaries.
5. No spot dumps or thick applications noticed.
6. Small grain was present.
7. pH not checked. No application at time of discharge.
8. No objectionable odors noticed today.
9. No change noticed with any of the setbacks.
10. Records have been submitted as a part of the permit renewal submission.
11. No issues noticed at the site today.

Please contact me if you have any questions or concerns regarding this inspection report.



Chester R. Cobb

Regional Representative

Phone: (919) 707-8283.

Sent on: 8-6-12		Email		Hand delivery	X	US Mail		Certified No. <u> </u>
-----------------	--	-------	--	---------------	----------	---------	--	-------------------------